# Survey on review SPAM detection

<sup>1</sup>Preeti Nakum, <sup>2</sup>Madhuri Vaghasia
<sup>1</sup>Research Scholar, <sup>2</sup>Assistant Professor
<sup>1</sup>Computer Science & Engineering Department
B. H. Gardi College of Engineering & Technology, Rajkot- Gujarat

*Abstract* - Today, many online shopping sites are providing space for their users to share their experiences in form of customer reviews. Those reviews are used by customers to take purchase decision. Anyone customer can write anything. So results in low quality reviews that contain some biased information which is known spam. This spam misleads the customers for taking buying decision. Thus, it is necessary to have a technique for detecting spam reviews.

Index Terms - Reviews centric spam detection, reviewer centric spam detection

#### I. INTRODUCTION

Today web has dramatically changed the way people express themselves online and interact with other people. They can now post reviews of a product at merchant sites and express their views and interact with others via blogs and forums. Such user created content on the web provides useful information on these products which help customers to find opinions of existing users before deciding to purchase a product. Positive opinion causes one to buy the product, and the negative opinion will cause one to change his buying decision, thus positive opinions result into significant product sales, financial gains and/or fames for organizations and individuals as well. As online shopping increases, the number of customer reviews received on the web site about a product also increases at a faster rate. This gives good incentives for review/opinion spam. Opinion spam is different from web spam and email spam so requires different detection techniques. Today existing research has been more focused on classification and summarization of opinions. But an important issue related to trustworthiness of online opinions has been neglected so far. As internet has no quality control, anyone can write anything on the web which results in many low quality reviews, and worse still review spam which is often biased and may mislead the customer affecting his buying decisions. Thus, it is very essential to have a technique which is capable of assessing the trustworthiness of reviews for proper decision making or for marketing intelligence. Trusted customer reviews are useful for both potential buyers and product manufacturers.

There are three main review formats commonly used on the web. Different review formats may need different techniques to identify and assess the quality of the reviews.

Format 1: Pros and Cons

- The reviewer is asked to describe Pros and Cons separately, e.g., C|net.com uses this format.

Format 2: Pros, Cons and detailed review

- The reviewer is asked to describe Pros and Cons separately and also write a detailed review, e.g., Epinions.com uses this format. Format 3: Free format

- The reviewer can write freely, i.e., no separation of Pros and Cons, e.g., Amazon.com uses this format

Depending upon the approach used for spam detection it can be classified as:

#### A. Review centric approach

Techniques included in this section depend upon the content of review Fake Reviews are classified for first time by in three categories:

Type 1 (untruthful opinions): Those that deliberately mislead readers or opinion mining systems by giving undeserving positive reviews to some target objects in order to promote the objects (which we call hyper spam) and/or by giving unjust or malicious negative reviews to some other objects in order to damage their reputation (which we call defaming spam).

Type 2 (reviews on brands only): Those that do not comment on the products in reviews specifically for the products but only the brands, the manufacturers or the sellers of the products.

Type 3 (non-reviews): Those that are non reviews, which have two main sub-types: (1) advertisements and (2) other irrelevant reviews containing no opinions (e.g., questions, answers, and random texts). Based on these types different techniques are used to detect different review spam.

#### B. Reviewer centric approach

Techniques included in this section identify several characteristics behaviors so as to detect the spammers.

In view of above consideration, this paper previews and reviews the existing research on Review Spam detection technique.

# **II RELATED WORK**

Most of work has been done in detecting web spam and email spam. Web spam means the action of misleading search engines to rank some web pages higher than they deserve [2,3]. Web spam can be classified as content spam (adding irrelevant

IJEDR1604075 International Journal of Engineering Development and Research (<u>www.ijedr.org</u>)

word to the document to rank it high) and link spam (spam on hyperlink[1]). Review spam is similar to that of web spam in some sense but hyper links used in reviews and adding irrelevant words to web page also doesn't help much in review spam; it's make it different from web spam.

Another type of spam is email spam. Email spam is unsolicited, unwanted email that was sent indiscriminately, directly or indirectly, by a sender having no current relationship with the user [4]. Spam emails generally contain advertisements which are very rarely used in review spam and if used can be detected easily by customers which makes it less harmful. This section is further discuss two different approaches for review spam detection as mention in previous section.

#### A. Review centric spam detection

Different types [5] of spam require different technique for detecting them. Type 2 and 3 are easily recognizable manually. Most difficult is to detect Type 1 spam (untruthful spam) is difficult to label manually. We can classify them using the concept of duplicate or near duplicate reviews. Duplicate Review can be defined as exactly similar reviews while near duplicate reviews refer to partially similar reviews. This section further previews existing research detecting all such type of reviews concentrating on the content of review as main source of spam. Each paper preview is described as proposed method in paper followed by evaluation method used for evaluating the proposed system. The task of detecting fake reviews and reviewers was first proposed by Nitin and Liu in [1], which they call opinion spam detection. This paper proposed a supervised machine learning method for detecting TYPE1, 2, 3 spams.

#### **Proposed Method**

Method is divided into three steps 1)to detect type 2,3 spam using supervised machine learning 2)identifying duplicates and near duplicates 3)identify type 1 spam. For type 2, 3 spam detection logistic regression was used. Large set of features were defined which were grouped under three categories

- 1. Review centric features
- 2. Reviewer centric features
- 3. Product centric features

Duplicate and near duplicate reviews were detected using shingle method which use 2-gram based review content comparison. Finally type 1 spam was detected using duplicate and near duplicate review as positive sample and unique review as negative sample for supervised machine learning which also use logistic regression model.

#### **Evaluation Method**

For evaluation purpose in [1] AUC (Area under ROC curve) is employed .Also lift curve are used to visualize the performance of TYPE1 spam detecting logistic regression model to predict outlier reviews.A state of art method proposed by [6] is based on conceptual level similarity. It mainly concentrates on different review format used on web which is mentioned in [6].

 $\Box$  Format1: pros and cons

-pros and cons are separately mentioned by the reviewer.

□ Format2: pros, cons and detailed review

-along with pros and cons detailed review is asked to the reviewer.

 $\hfill\square$  Format3: free format

-there is no separation of pros and cons in the review.

In [6] they have used product features that have been commented by the reviewers in their reviews. Different review format require different spam detection techniques. Type 1 and 2 did not need special extraction of features while in type 3 format features have to be identified first.

#### **Proposed Method**

This method makes use of duplicate and near duplicate reviews considering them as spam while partially relate and unique reviews as non spam. It has three steps.

1. Feature extraction-It involves feature extraction from reviews and storing them in feature database. Sample feature extracted stored in database is shown below:

| F1    | F2  | F3   | F4    | ••••• | Fn   |
|-------|-----|------|-------|-------|------|
| price | lcd | Zoom | Speed |       | Size |

2. Feature matrix construction-features extracted in step 1 are used to construct feature matrix. Sample matrix s as shown below

| Feature<br>Matrix | Price | Lcd | Zoom | Speed | Size | Total |
|-------------------|-------|-----|------|-------|------|-------|
| Review number     | F1    | F2  | F3   | F4    | Fn   |       |

| R1 | 0 | 1 | 1 | 0 | 0 | 2 |
|----|---|---|---|---|---|---|
|    | • | • | • | • | • | • |
|    | • | • | • |   | • | • |
| Rm | 1 | 0 | 0 | 1 | 1 | 3 |

3. Matching feature calculation between reviews-By calculating similarity score of different review pairs they are categorized as spam (duplicate/ near duplicate) or non-spam (partially related /unique) based on threshold value T.

sim (Ri,Rk) =NC –DH(Ri,Rk)

where NC=total number of feature in each review Ri

DH(Ri,Rk)=Hamming distance between review vector Ri and Rk

## **Evaluation Method**

For evaluation purpose confusion matrix is created for pros and cons separately. Similar to the method proposed by [6] was proposed by [7] but with some refinements in the method .Main idea of this paper was also resemblance calculation of reviews based on their features.

# **Proposed Method**

In this paper a novel technique named as shingling technique is used for detecting spam reviews based on the product features that have been commented in reviews. Steps involved in spam detection are

- 1. Review pre-processing
- 2. Feature extraction
- 3. Shingle's creation

4. Resemblance ratio calculation of the created shingles between the reviews.

## **Evaluation Method**

For evaluation purpose same method was used as [6], confusion matrix is created for pros and cons separately. Integrating work from psychology and computational linguistics a new method was proposed by [8] of finding deceptive opinion spam. In this paper three automated approaches were used to detect deceptive opinion spam trained on the dataset (with gold standard deceptive opinions) which was specially developed for the technique used.

## **Proposed method**

With labeled review spam dataset a supervised method is designed to identify review spam. Naïve Bayes is used as classifier with basic assumption that features are conditionally independent given the reviews category. A co-training algorithm was given with two views of feature set (review and reviewer based) for semi-supervised machine learning which are outlined below:

Review based features:

- 1. content feature
- 2. sentiment features
- 3. product features
- 4. meta-data features
- Reviewer based features:
- 1. profile features
- 2. Behavior features

## Co-training Algorithm

Require: two views of feature sets for each review: review features Fr and reviewer features Fu; a small set of labeled reviews L; a large set of unlabeled reviews U.

Ensure: Loop for I iterations

- 1: Learn the first view classifier Cr from L based on review features Fr;
- 2: Use Cr to label reviews from U based on Fr;
- 3: Choose p positive and n negative most confidently predicted reviews Treview from U.
- 4: Learn the second view classifier Cu from L based on reviewer features Fu;
- 5: Use Cu to label reviews from U based on reviewer features Fu;
- 6: Choose p positive and n negative most confidently predicted reviews T'reviewer from U.
- 7: Extract the reviews T'review authored by T'reviewer
- 8: Move Reviews Treview U T'review from U to L with their predicted labels.

## Evaluation Method

A10 fold cross validation was conducted by randomly splitting data set into ten folds ,where nine folds are

selected for training and tenth fold is selected for test. [10] Introduces a method of spam detection identical to [1] but revised feature set which improve accuracy to 88.3%.

## B. Reviewer centric spam detection

Although multiple reviews posted by a same reviewer seem suspicious it is not always the case that they are spam, they may be the result of multiple purchasing experience or may be the improvement in the same review. So it became necessary to take into consideration reviewer behavior while detecting review spam. This section discusses two papers related to this approach of spam detection. [11] has introduced a user centric and user behavior driven approach for review spam detection. A user centric approach is preferred over review centric approach as gathering behavioral evidence of spammers is easier than that of spam reviews[11].this paper basically dealt with four different spamming model:

Target Based

1. Targeting Product(TP)

2. Targeting Group(TG)

**Deviation Based** 

1. General rating Deviation(GD)

2. Early rating Deviation(ED)

## **Proposed method**

Data is preprocessed using 4 preprocessing steps listed below before use for spam detection.

- 1. Removal of anonymous users
- 2. Removal of duplicate products
- 3. Removal of inactive users and unpopular products
- 4. Resolution of brand name synonyms

After preprocessing spam detection is done for three spamming behaviors involving targeted products and product groups and derives their respective spam scores for each reviewer representing the ex-tent to

which he practices the behaviors.

## **Evaluation Method**

Review spam detection software is used to facilitate manual evaluation. In [12] a novel method is used which make use of a heterogeneous graph to detect the relationship between reviewer, review and store. This relationship is used to identify trustiness of reviewers, honesty of reviews and reliability of reviews.

## **Proposed Method**

[12] had proposed an iterative algorithm whose inputs are set of stores, review and reviewers producing set of reliability , honesty ,and trustiness as output.

## **Evaluation method**

In this paper IR-based evaluation strategy is used.

## **III.COMPARATIVE ANALYSIS**

In section II we had discuss various methods to detect review spam. There comparative analysis based on accuracy to determine review spam is given in table 1.

| Sr no  | Method  | Precision |
|--------|---|-----------|
| Review | v centric methods   |           |
| 1      | Opinion Spam and Analysis[1]  | 85%       |
| 2      | Conceptual level Similarity Measure                                 | 43.64%    |
|        | Based Review Spam Detection[6]                                      |           |
| 3      | Spam Detection of   | 75.04%    |
|        | customer Reviews from Web Pages[7]                                  |           |
| 4      | Deceptive Opinion Spam by Any Stretch of Imagination[8]             | 83.3%     |
| 5      | A Method for sorting out the Spam from Chinese Product Reviews.[10] | 88.3%     |
| Review | ver centric methods   |           |
| 6      | Detecting product review spammers using rating behaviors[11]        | 78%       |
| 7      | Review Graph based Online Store Review Spammer Detection[12]        | 49%       |

## **IV. CONCLUSIONS**

In this paper we surveyed existing techniques and algorithms created for Review centric and Reviewer centric spam detection, we first provide proposed work in each paper and also presented a brief overview of evaluation method used to determine accuracy. At last we had provided a comparative study about different spam detection techniques depending upon their accuracy.

IJEDR1604075

510

# REFERENCES

[1] Nitin Jindal and Bing Liu, "Opinion Spam and Analysis", Department of Computer Science University of Illinois at Chicago 851 South Morgan Street, Chicago, IL 60607-7053 Copyright 2008

[2] Z. Gyongyi & H. Garcia-Molina, "Web Spam Taxonomy Technical Report, Stanford University, 2004.

[3] Nikita Spirin and Jiawei Han, "Survey on Web Spam Detection: Principles and Algorithms", Department of Computer Science University of Illinois at Urbana- Champaign Urbana, IL 61801, USA

[4] Gordon Cormack and Thomas Lynam "Spam corpus creation for TREC", In Proceedings of Second Conference on Email and Anti-Spam, CEAS'2005, 2005.

[5] N. Jindal and B. Liu "Analyzing and Detecting Review Spam", ICDM2007.

[6] Siddu P.Algur Amit P.Patil P.S Hiremath S.Shivashankar, "Conceptual level Simiarity Measure Based Review Spam Detection"

[7] Siddu P.Algur Amit P.Patil P.S Hiremath S.Shivashankar, "Spam Detection of customer Reviews from Web Pages"

[8] Myle Ott, Yejin choi, Claire Cardie, Jeffrey T.Hancock, "Finding Deceptive Opinion Spam by Any Stretch of Imagination"[9] Fangtao Li, Minilie Huang, Yi Yang, Xiaoyan Zhu, "Learning to Identify Spam", Proceedings of the twenty second International Joint Conference on Artificial Intiligence.

[10] Lijia Liu, Yu Wang, "A Method for sorting out the Spam from Chinese Product Reviews", 2012 IEEE

[11] E.P. Lim, V.A. Nguyen, N. Jindal, B. Liu, and H.W. Lauw, "Detecting product review spammers using rating behaviors", In CIKM, 2010.

[12] Guan Wang, Sihong Xie, Bing Liu, Philip S. Yu, "Review Graph based Online Store Review Spammer Detection", 11th IEEE International Conference on Data Mining 2011

